

Case Size	Approximate Inside Dimensions										Approximate Outside Dimensions						Ship	Quick Ship		
	L		W		H		Base		Lid		L		W		H				Weight	
	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)			lbs	(kg)
AL1010-0904	9.9	(0.25)	10.0	(0.25)	12.7	(0.32)	8.7	(0.22)	4.0	(0.10)	12.9	(0.33)	13.0	(0.33)	14.4	(0.37)	9.8	(4.4)	UPS	
AL1010-0905	9.9	(0.25)	10.0	(0.25)	14.0	(0.35)	8.7	(0.22)	5.3	(0.13)	12.9	(0.33)	13.0	(0.33)	15.6	(0.40)	10.0	(4.5)	UPS	
AL1010-1404	9.9	(0.25)	10.0	(0.25)	17.8	(0.45)	13.8	(0.35)	4.0	(0.10)	12.9	(0.33)	13.0	(0.33)	19.4	(0.49)	12.2	(5.5)	UPS	
AL1010-1405	9.9	(0.25)	10.0	(0.25)	19.0	(0.48)	13.8	(0.35)	5.3	(0.13)	12.9	(0.33)	13.0	(0.33)	20.7	(0.53)	12.4	(5.6)	UPS	
CL1109-0303HL	11.0	(0.28)	8.9	(0.23)	6.0	(0.15)	3.0	(0.08)	3.0	(0.08)	13.1	(0.33)	10.9	(0.28)	8.2	(0.21)	5.4	(2.4)	UPS	
AL1212-0404	12.0	(0.30)	12.0	(0.30)	8.2	(0.21)	4.2	(0.11)	4.0	(0.10)	15.0	(0.38)	15.0	(0.38)	9.9	(0.25)	10.6	(4.8)	UPS	
AL1212-0405	12.0	(0.30)	12.0	(0.30)	9.3	(0.24)	4.2	(0.11)	5.1	(0.13)	15.0	(0.38)	15.0	(0.38)	11.0	(0.28)	10.8	(4.9)	UPS	Y
AL1212-0604	12.0	(0.30)	12.0	(0.30)	10.3	(0.26)	6.3	(0.16)	4.0	(0.10)	15.0	(0.38)	15.0	(0.38)	12.0	(0.30)	11.0	(5.0)	UPS	
AL1212-0605	12.0	(0.30)	12.0	(0.30)	11.4	(0.29)	6.3	(0.16)	5.1	(0.13)	15.0	(0.38)	15.0	(0.38)	13.0	(0.33)	11.2	(5.1)	UPS	
AL1212-1204	12.0	(0.30)	12.0	(0.30)	15.3	(0.39)	11.3	(0.29)	4.0	(0.10)	15.0	(0.38)	15.0	(0.38)	17.0	(0.43)	12.8	(5.8)	UPS	
AL1212-1205	12.0	(0.30)	12.0	(0.30)	16.4	(0.42)	11.3	(0.29)	5.1	(0.13)	15.0	(0.38)	15.0	(0.38)	18.1	(0.46)	13.1	(5.9)	UPS	
AL1212-1504	12.0	(0.30)	12.0	(0.30)	19.2	(0.49)	15.2	(0.39)	4.0	(0.10)	15.0	(0.38)	15.0	(0.38)	20.9	(0.53)	14.7	(6.7)	UPS	
AL1212-1505	12.0	(0.30)	12.0	(0.30)	20.3	(0.52)	15.2	(0.39)	5.1	(0.13)	15.0	(0.38)	15.0	(0.38)	22.0	(0.56)	14.9	(6.8)	UPS	
AL1212-1904	12.0	(0.30)	12.0	(0.30)	22.7	(0.58)	18.7	(0.47)	4.0	(0.10)	15.0	(0.38)	15.0	(0.38)	24.4	(0.62)	16.8	(7.6)	UPS	
AL1212-1905	12.0	(0.30)	12.0	(0.30)	23.8	(0.61)	18.7	(0.47)	5.1	(0.13)	15.0	(0.38)	15.0	(0.38)	25.5	(0.65)	17.0	(7.7)	UPS	
CL1412-0502	14.8	(0.37)	11.9	(0.30)	7.4	(0.19)	4.9	(0.13)	2.5	(0.06)	16.9	(0.43)	13.9	(0.35)	8.4	(0.21)	9.4	(4.3)	UPS	
AL1413-0505	14.5	(0.37)	13.1	(0.33)	10.3	(0.26)	5.1	(0.13)	5.2	(0.13)	17.5	(0.44)	16.1	(0.41)	12.0	(0.30)	13.5	(6.1)	UPS	
AL1413-1005	14.5	(0.37)	13.1	(0.33)	15.4	(0.39)	10.2	(0.26)	5.2	(0.13)	17.5	(0.44)	16.1	(0.41)	17.1	(0.43)	16.5	(7.5)	UPS	Y
AL1413-2105	14.5	(0.37)	13.1	(0.33)	26.0	(0.66)	20.8	(0.53)	5.2	(0.13)	17.5	(0.44)	16.1	(0.41)	27.7	(0.70)	19.7	(8.9)	UPS	
AL1414-0705	14.0	(0.36)	14.1	(0.36)	11.9	(0.30)	6.8	(0.17)	5.2	(0.13)	17.0	(0.43)	17.1	(0.43)	13.6	(0.35)	14.5	(6.6)	UPS	
AL1616-0404	15.8	(0.40)	15.9	(0.40)	7.7	(0.20)	3.9	(0.10)	3.9	(0.10)	18.8	(0.48)	18.9	(0.48)	9.4	(0.24)	12.6	(5.7)	UPS	
AL1616-0405	15.8	(0.40)	15.9	(0.40)	9.0	(0.23)	3.9	(0.10)	5.1	(0.13)	18.8	(0.48)	18.9	(0.48)	10.7	(0.27)	13.7	(6.2)	UPS	
AL1616-0412AC/HL	15.8	(0.40)	15.9	(0.40)	16.1	(0.41)	3.9	(0.10)	12.2	(0.31)	18.8	(0.48)	18.9	(0.48)	17.7	(0.45)	17.9	(8.1)	UPS	
AL1616-0504	15.8	(0.40)	15.9	(0.40)	9.3	(0.24)	5.4	(0.14)	3.9	(0.10)	18.8	(0.48)	18.9	(0.48)	11.0	(0.28)	13.9	(6.3)	UPS	
AL1616-0505	15.8	(0.40)	15.9	(0.40)	10.5	(0.27)	5.4	(0.14)	5.1	(0.13)	18.8	(0.48)	18.9	(0.48)	12.2	(0.31)	14.5	(6.6)	UPS	
AL1616-0512AC/HL	15.8	(0.40)	15.9	(0.40)	17.6	(0.45)	5.4	(0.14)	12.2	(0.31)	18.8	(0.48)	18.9	(0.48)	19.2	(0.49)	18.5	(8.4)	UPS	
AL1616-1004	15.8	(0.40)	15.9	(0.40)	13.7	(0.35)	9.9	(0.25)	3.9	(0.10)	18.8	(0.48)	18.9	(0.48)	15.4	(0.39)	17.2	(7.8)	UPS	
AL1616-1005	15.8	(0.40)	15.9	(0.40)	15.0	(0.38)	9.9	(0.25)	5.1	(0.13)	18.8	(0.48)	18.9	(0.48)	16.7	(0.42)	17.6	(8.0)	UPS	
AL1616-1012AC/HL	15.8	(0.40)	15.9	(0.40)	22.1	(0.56)	9.9	(0.25)	12.2	(0.31)	18.8	(0.48)	18.9	(0.48)	23.7	(0.60)	22.4	(10.2)	UPS	
AL1616-1204	15.8	(0.40)	15.9	(0.40)	15.2	(0.39)	11.3	(0.29)	3.9	(0.10)	18.8	(0.48)	18.9	(0.48)	16.9	(0.43)	17.9	(8.1)	UPS	
AL1616-1205	15.8	(0.40)	15.9	(0.40)	16.5	(0.42)	11.3	(0.29)	5.1	(0.13)	18.8	(0.48)	18.9	(0.48)	18.1	(0.46)	18.6	(8.4)	UPS	
AL1616-1212AC/HL	15.8	(0.40)	15.9	(0.40)	23.5	(0.60)	11.3	(0.29)	12.2	(0.31)	18.8	(0.48)	18.9	(0.48)	25.2	(0.64)	23.2	(10.5)	UPS	
AL1616-1804	15.8	(0.40)	15.9	(0.40)	22.1	(0.56)	18.3	(0.46)	3.9	(0.10)	18.8	(0.48)	18.9	(0.48)	23.8	(0.60)	21.7	(9.8)	UPS	
AL1616-1805	15.8	(0.40)	15.9	(0.40)	23.4	(0.59)	18.3	(0.46)	5.1	(0.13)	18.8	(0.48)	18.9	(0.48)	25.1	(0.64)	22.0	(10.0)	UPS	

	Approximate Inside Dimensions									Approximate Outside Dimensions						SHIP	QUICK SHIP	
	L		W		H		BASE		LID		L		W		H			WEIGHT
CASE SIZE	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	lbs	(kg)
AL1616-1812AC/HL	15.8	(0.40)	15.9	(0.40)	30.4	(0.77)	18.3	(0.46)	12.2	(0.31)	18.8	(0.48)	18.9	(0.48)	32.1	(0.82)	26.9	(12.2)
CL1713-0403	16.9	(0.43)	12.9	(0.33)	7.4	(0.19)	4.4	(0.11)	3.0	(0.08)	19.0	(0.48)	14.9	(0.38)	9.1	(0.23)	6.8	(3.1)
CL1713-0408AC/HL	16.9	(0.43)	12.9	(0.33)	12.0	(0.30)	4.4	(0.11)	7.6	(0.19)	19.0	(0.48)	14.9	(0.38)	13.7	(0.35)	11.0	(5.0)
CL1715-0904	17.1	(0.43)	14.9	(0.38)	14.0	(0.36)	9.9	(0.25)	4.2	(0.11)	19.3	(0.49)	16.9	(0.43)	15.7	(0.40)	12.6	(5.7)
AL1717-0909AC/HL	17.0	(0.43)	17.0	(0.43)	17.9	(0.45)	8.9	(0.23)	9.0	(0.23)	20.0	(0.51)	20.0	(0.51)	19.6	(0.50)	18.8	(8.5)
AL1814-0504	18.0	(0.46)	14.6	(0.37)	9.1	(0.23)	5.2	(0.13)	3.9	(0.10)	21.0	(0.53)	17.6	(0.45)	10.8	(0.27)	14.4	(6.5)
AL1814-0505	18.0	(0.46)	14.6	(0.37)	10.4	(0.26)	5.2	(0.13)	5.2	(0.13)	21.0	(0.53)	17.6	(0.45)	12.1	(0.31)	15.6	(7.1)
AL1814-1504	18.0	(0.46)	14.6	(0.37)	18.9	(0.48)	14.9	(0.38)	3.9	(0.10)	21.0	(0.53)	17.6	(0.45)	20.6	(0.52)	19.3	(8.8)
AL1814-1505	18.0	(0.46)	14.6	(0.37)	20.1	(0.51)	14.9	(0.38)	5.2	(0.13)	21.0	(0.53)	17.6	(0.45)	21.8	(0.55)	20.5	(9.3)
AL1814-2204	18.0	(0.46)	14.6	(0.37)	26.1	(0.66)	22.2	(0.56)	3.9	(0.10)	21.0	(0.53)	17.6	(0.45)	27.8	(0.71)	23.4	(10.6)
AL1814-2205	18.0	(0.46)	14.6	(0.37)	27.4	(0.70)	22.2	(0.56)	5.2	(0.13)	21.0	(0.53)	17.6	(0.45)	29.1	(0.74)	24.6	(11.2)
AL1818-0603HL	17.9	(0.46)	17.9	(0.46)	9.6	(0.24)	6.4	(0.16)	3.2	(0.08)	20.9	(0.53)	20.9	(0.53)	11.3	(0.29)	16.5	(7.5)
CL2012-0902	20.2	(0.51)	11.8	(0.30)	11.7	(0.30)	9.2	(0.23)	2.5	(0.06)	22.3	(0.57)	13.8	(0.35)	13.4	(0.34)	12.2	(5.5)
AL2013-0403	19.9	(0.50)	13.0	(0.33)	7.0	(0.18)	4.0	(0.10)	3.0	(0.08)	22.9	(0.58)	16.0	(0.41)	8.7	(0.22)	13.5	(6.1)
AL2013-0903	19.9	(0.50)	13.0	(0.33)	12.3	(0.31)	9.3	(0.23)	3.0	(0.08)	22.9	(0.58)	16.0	(0.41)	13.9	(0.35)	16.8	(7.6)
AL2015-0503HL	19.8	(0.50)	15.6	(0.40)	7.8	(0.20)	5.1	(0.13)	2.8	(0.07)	22.8	(0.58)	18.6	(0.47)	9.5	(0.24)	16.5	(7.5)
AL2015-1503HL	19.8	(0.50)	15.6	(0.40)	18.0	(0.46)	15.2	(0.39)	2.8	(0.07)	22.8	(0.58)	18.6	(0.47)	19.6	(0.50)	24.1	(10.9)
AL2017-0706	20.2	(0.51)	17.2	(0.44)	13.0	(0.33)	7.0	(0.18)	6.0	(0.15)	23.2	(0.59)	20.2	(0.51)	14.8	(0.38)	19.1	(8.7)
AL2020-1305	19.9	(0.50)	19.9	(0.50)	18.1	(0.46)	12.9	(0.33)	5.2	(0.13)	22.9	(0.58)	22.9	(0.58)	19.8	(0.50)	25.7	(11.7)
AL2216-0503	22.0	(0.56)	16.0	(0.41)	8.3	(0.21)	5.3	(0.13)	3.0	(0.08)	25.0	(0.64)	19.0	(0.48)	10.0	(0.25)	17.5	(8.4)
AL2216-0505	22.0	(0.56)	16.0	(0.41)	10.5	(0.27)	5.3	(0.13)	5.3	(0.13)	25.0	(0.64)	19.0	(0.48)	12.2	(0.31)	18.5	(8.4)
AL2216-0803	22.0	(0.56)	16.0	(0.41)	11.4	(0.29)	8.4	(0.21)	3.0	(0.08)	25.0	(0.64)	19.0	(0.48)	13.1	(0.33)	19.0	(8.6)
AL2216-0805	22.0	(0.56)	16.0	(0.41)	13.7	(0.35)	8.4	(0.21)	5.3	(0.13)	25.0	(0.64)	19.0	(0.48)	15.4	(0.39)	20.0	(9.1)
AL2216-0903	22.0	(0.56)	16.0	(0.41)	11.6	(0.29)	8.6	(0.22)	3.0	(0.08)	25.0	(0.64)	19.0	(0.48)	13.3	(0.34)	19.5	(8.8)
AL2216-0905	22.0	(0.56)	16.0	(0.41)	13.9	(0.35)	8.6	(0.22)	5.3	(0.13)	25.0	(0.64)	19.0	(0.48)	15.6	(0.40)	20.8	(9.4)
AL2216-1203	22.0	(0.56)	16.0	(0.41)	15.3	(0.39)	12.3	(0.31)	3.0	(0.08)	25.0	(0.64)	19.0	(0.48)	17.0	(0.43)	21.1	(9.6)
AL2216-1205	22.0	(0.56)	16.0	(0.41)	17.5	(0.44)	12.3	(0.31)	5.3	(0.13)	25.0	(0.64)	19.0	(0.48)	19.2	(0.49)	22.1	(10.0)
AL2221-0402	22.5	(0.57)	21.1	(0.53)	6.2	(0.16)	3.9	(0.10)	2.3	(0.06)	25.5	(0.65)	24.1	(0.61)	8.3	(0.21)	21.2	(9.6)
AL2221-0404	22.5	(0.57)	21.1	(0.53)	7.7	(0.19)	3.9	(0.10)	3.8	(0.10)	25.5	(0.65)	24.1	(0.61)	9.8	(0.25)	22.4	(10.2)
AL2221-0405	22.5	(0.57)	21.1	(0.53)	8.9	(0.23)	3.9	(0.10)	5.0	(0.13)	25.5	(0.65)	24.1	(0.61)	11.0	(0.28)	23.3	(10.6)
AL2221-0414AC/HL	22.5	(0.57)	21.1	(0.53)	18.2	(0.46)	3.9	(0.10)	14.3	(0.36)	25.5	(0.65)	24.1	(0.61)	20.2	(0.51)	30.1	(13.7)
AL2221-0419DE	22.5	(0.57)	21.1	(0.53)	23.6	(0.60)	4.0	(0.10)	19.6	(0.50)	25.5	(0.65)	24.1	(0.61)	25.3	(0.64)	32.0	(14.5)
AL2221-0602	22.5	(0.57)	21.1	(0.53)	8.8	(0.22)	6.5	(0.17)	2.3	(0.06)	25.5	(0.65)	24.1	(0.61)	10.4	(0.27)	22.8	(10.3)
AL2221-0604	22.5	(0.57)	21.1	(0.53)	10.3	(0.26)	6.5	(0.17)	3.8	(0.10)	25.5	(0.65)	24.1	(0.61)	11.9	(0.30)	24.0	(10.9)

	Approximate Inside Dimensions										Approximate Outside Dimensions				SHIP	QUICK SHIP		
	L		W		H		BASE		LID		L		W				H	
CASE SIZE	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	lbs	(kg)
AL2221-0605	22.5	(0.57)	21.1	(0.53)	11.5	(0.29)	6.5	(0.17)	5.0	(0.13)	25.5	(0.65)	24.1	(0.61)	13.1	(0.33)	24.8	(1.2)
AL2221-0614AC/HL	22.5	(0.57)	21.1	(0.53)	20.8	(0.53)	6.5	(0.17)	14.3	(0.36)	25.5	(0.65)	24.1	(0.61)	22.4	(0.57)	29.4	(13.3)
AL2221-1202	22.5	(0.57)	21.1	(0.53)	14.3	(0.36)	12.1	(0.31)	2.3	(0.06)	25.5	(0.65)	24.1	(0.61)	16.0	(0.41)	25.0	(11.3)
AL2221-1204	22.5	(0.57)	21.1	(0.53)	15.8	(0.40)	12.1	(0.31)	3.8	(0.10)	25.5	(0.65)	24.1	(0.61)	17.5	(0.44)	26.2	(11.9)
AL2221-1205	22.5	(0.57)	21.1	(0.53)	17.1	(0.43)	12.1	(0.31)	5.0	(0.13)	25.5	(0.65)	24.1	(0.61)	18.8	(0.48)	27.3	(12.4)
AL2221-1214AC	22.5	(0.57)	21.1	(0.53)	26.3	(0.67)	12.1	(0.31)	14.3	(0.36)	25.5	(0.65)	24.1	(0.61)	28.0	(0.71)	31.8	(14.4)
AL2221-1802	22.5	(0.57)	21.1	(0.53)	20.9	(0.53)	18.6	(0.47)	2.3	(0.06)	25.5	(0.65)	24.1	(0.61)	22.6	(0.57)	32.0	(14.5)
AL2221-1804	22.5	(0.57)	21.1	(0.53)	22.4	(0.57)	18.6	(0.47)	3.8	(0.10)	25.5	(0.65)	24.1	(0.61)	24.1	(0.61)	33.2	(15.1)
AL2221-1805	22.5	(0.57)	21.1	(0.53)	23.6	(0.60)	18.6	(0.47)	5.0	(0.13)	25.5	(0.65)	24.1	(0.61)	25.3	(0.64)	34.1	(15.5)
AL2221-1814AC	22.5	(0.57)	21.1	(0.53)	32.9	(0.83)	18.6	(0.47)	14.3	(0.36)	25.5	(0.65)	24.1	(0.61)	34.6	(0.88)	38.6	(17.5)
AL2221-2802	22.5	(0.57)	21.1	(0.53)	30.4	(0.77)	28.1	(0.71)	2.3	(0.06)	25.5	(0.65)	24.1	(0.61)	32.1	(0.81)	38.6	(17.5)
AL2221-2804	22.5	(0.57)	21.1	(0.53)	31.9	(0.81)	28.1	(0.71)	3.8	(0.10)	25.5	(0.65)	24.1	(0.61)	33.6	(0.85)	39.8	(18.1)
AL2221-2805	22.5	(0.57)	21.1	(0.53)	33.1	(0.84)	28.1	(0.71)	5.0	(0.13)	25.5	(0.65)	24.1	(0.61)	34.8	(0.88)	40.6	(18.4)
AL2221-2814AC	22.5	(0.57)	21.1	(0.53)	42.4	(1.08)	28.1	(0.71)	14.3	(0.36)	25.5	(0.65)	24.1	(0.61)	44.1	(1.12)	39.1	(17.7)
AL2313-1004	23.0	(0.58)	13.0	(0.33)	15.5	(0.39)	10.9	(0.28)	4.6	(0.12)	26.0	(0.66)	16.0	(0.41)	17.7	(0.45)	20.2	(9.2)
AL2315-2507	23.3	(0.59)	15.3	(0.39)	32.5	(0.83)	25.4	(0.64)	7.1	(0.18)	26.3	(0.67)	18.3	(0.46)	35.7	(0.91)	32.2	(14.6)
AL2316-0604	23.5	(0.60)	15.9	(0.40)	11.2	(0.29)	6.4	(0.16)	4.9	(0.12)	26.5	(0.67)	18.9	(0.48)	13.4	(0.34)	19.8	(9.0)
AL2318-1205	22.9	(0.58)	17.9	(0.46)	17.5	(0.44)	12.3	(0.31)	5.2	(0.13)	25.9	(0.66)	20.9	(0.53)	19.4	(0.49)	25.5	(11.6)
AL2318-1705	22.9	(0.58)	17.9	(0.46)	22.4	(0.57)	17.2	(0.44)	5.2	(0.13)	25.9	(0.66)	20.9	(0.53)	24.2	(0.62)	29.1	(13.2)
CL2406-0303	24.8	(0.63)	6.6	(0.17)	6.1	(0.16)	3.1	(0.08)	3.1	(0.08)	26.9	(0.68)	8.6	(0.22)	7.8	(0.20)	6.6	(3.0)
CL2407-0404	24.8	(0.63)	7.5	(0.19)	6.9	(0.17)	3.5	(0.09)	3.4	(0.09)	26.9	(0.68)	9.5	(0.24)	8.6	(0.22)	8.8	(4.0)
AL2412-1505	24.2	(0.61)	12.0	(0.30)	20.1	(0.51)	14.9	(0.38)	5.2	(0.13)	27.2	(0.69)	15.0	(0.38)	22.3	(0.57)	22.0	(10.0)
AL2414-0509AC/HL	24.6	(0.63)	14.6	(0.37)	14.5	(0.37)	5.2	(0.13)	9.3	(0.24)	27.6	(0.70)	17.6	(0.45)	16.7	(0.42)	23.6	(10.7)
AL2414-1604	24.3	(0.62)	14.3	(0.36)	20.1	(0.51)	16.1	(0.41)	4.1	(0.10)	27.3	(0.69)	17.3	(0.44)	22.3	(0.57)	24.2	(11.0)
AL2415-0215AC/HL	24.3	(0.62)	15.3	(0.39)	16.8	(0.43)	1.9	(0.05)	14.8	(0.38)	27.3	(0.69)	18.3	(0.46)	19.0	(0.48)	25.7	(11.7)
AL2417-1505	24.0	(0.61)	17.0	(0.43)	20.0	(0.51)	14.8	(0.38)	5.2	(0.13)	27.0	(0.69)	20.0	(0.51)	22.0	(0.56)	27.3	(12.4)
AL2423-0503	24.8	(0.63)	23.3	(0.59)	8.0	(0.20)	4.7	(0.12)	3.3	(0.08)	27.8	(0.70)	26.3	(0.67)	11.6	(0.29)	23.3	(10.6)
AL2423-0504	24.8	(0.63)	23.3	(0.59)	8.6	(0.22)	4.7	(0.12)	3.9	(0.10)	27.8	(0.70)	26.3	(0.67)	12.2	(0.31)	24.0	(10.9)
AL2423-0506	24.8	(0.63)	23.3	(0.59)	10.9	(0.28)	4.7	(0.12)	6.3	(0.16)	27.8	(0.70)	26.3	(0.67)	13.0	(0.33)	25.0	(11.3)
AL2423-0511AC/HL	24.8	(0.63)	23.3	(0.59)	15.9	(0.40)	4.7	(0.12)	11.3	(0.29)	27.8	(0.70)	26.3	(0.67)	19.6	(0.50)	30.2	(13.7)
AL2423-0903	24.8	(0.63)	23.3	(0.59)	12.1	(0.31)	8.8	(0.22)	3.3	(0.08)	27.8	(0.70)	26.3	(0.67)	15.2	(0.39)	24.9	(11.3)
AL2423-0904	24.8	(0.63)	23.3	(0.59)	12.7	(0.32)	8.8	(0.22)	3.9	(0.10)	27.8	(0.70)	26.3	(0.67)	15.8	(0.40)	25.6	(11.6)
AL2423-0906	24.8	(0.63)	23.3	(0.59)	15.0	(0.38)	8.8	(0.22)	6.3	(0.16)	27.8	(0.70)	26.3	(0.67)	18.2	(0.46)	28.0	(12.7)
AL2423-0911AC/HL	24.8	(0.63)	23.3	(0.59)	20.0	(0.51)	8.8	(0.22)	11.3	(0.29)	27.8	(0.70)	26.3	(0.67)	23.2	(0.59)	31.8	(14.4)

	Approximate Inside Dimensions									Approximate Outside Dimensions					SHIP	QUICK SHIP		
	L		W		H		BASE		LID		L		W				H	
CASE SIZE	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	lbs	(kg)
AL2423-1103	24.8	(0.63)	23.3	(0.59)	14.1	(0.36)	10.8	(0.27)	3.3	(0.08)	27.8	(0.70)	26.3	(0.67)	16.8	(0.43)	27.3	(12.4)
AL2423-1104	24.8	(0.63)	23.3	(0.59)	14.7	(0.37)	10.8	(0.27)	3.9	(0.10)	27.8	(0.70)	26.3	(0.67)	17.3	(0.44)	28.0	(12.7)
AL2423-1106	24.8	(0.63)	23.3	(0.59)	17.0	(0.43)	10.8	(0.27)	6.3	(0.16)	27.8	(0.70)	26.3	(0.67)	19.7	(0.50)	29.5	(13.4)
AL2423-1111AC/HL	24.8	(0.63)	23.3	(0.59)	22.0	(0.56)	10.8	(0.27)	11.3	(0.29)	27.8	(0.70)	26.3	(0.67)	24.7	(0.63)	32.3	(14.7)
AL2617-0604	26.0	(0.66)	17.3	(0.44)	9.9	(0.25)	6.1	(0.16)	3.8	(0.10)	29.0	(0.74)	20.3	(0.51)	12.1	(0.31)	22.5	(10.2)
AL2617-1104	26.0	(0.66)	17.3	(0.44)	14.8	(0.37)	11.0	(0.28)	3.8	(0.10)	29.0	(0.74)	20.3	(0.51)	16.9	(0.43)	26.2	(11.9)
AL2624-0503	26.0	(0.66)	24.1	(0.61)	8.7	(0.22)	5.4	(0.14)	3.4	(0.09)	29.0	(0.74)	27.0	(0.69)	12.0	(0.30)	24.0	(10.9)
AL2624-0505	26.0	(0.66)	24.1	(0.61)	10.4	(0.26)	5.4	(0.14)	5.1	(0.13)	29.0	(0.74)	27.0	(0.69)	13.9	(0.35)	28.0	(12.7)
AL2624-0513AC	26.0	(0.66)	24.1	(0.61)	18.5	(0.47)	5.4	(0.14)	13.1	(0.33)	29.0	(0.74)	27.0	(0.69)	21.9	(0.56)	32.0	(14.5)
AL2624-0524AC	26.0	(0.66)	24.1	(0.61)	29.4	(0.75)	5.4	(0.14)	24.0	(0.61)	29.0	(0.74)	27.0	(0.69)	32.7	(0.83)	42.0	(19.1)
AL2624-0803	26.0	(0.66)	24.1	(0.61)	11.4	(0.29)	8.1	(0.20)	3.4	(0.09)	29.0	(0.74)	27.0	(0.69)	14.5	(0.37)	28.0	(12.7)
AL2624-0805	26.1	(0.66)	24.0	(0.61)	13.1	(0.33)	8.1	(0.20)	5.1	(0.13)	29.1	(0.74)	27.0	(0.69)	16.8	(0.43)	31.3	(14.2)
AL2624-0813AC/HL	26.1	(0.66)	24.0	(0.61)	21.2	(0.54)	8.1	(0.20)	13.1	(0.33)	29.1	(0.74)	27.0	(0.69)	24.9	(0.63)	36.2	(16.4)
AL2624-0824AC/HL	26.1	(0.66)	24.0	(0.61)	32.1	(0.81)	8.1	(0.20)	24.0	(0.61)	29.1	(0.74)	27.0	(0.69)	35.8	(0.91)	45.4	(20.6)
AL2624-1203	26.0	(0.66)	24.1	(0.61)	15.2	(0.39)	11.9	(0.30)	3.4	(0.09)	29.0	(0.74)	27.0	(0.69)	18.5	(0.47)	31.0	(14.1)
AL2624-1205	26.1	(0.66)	24.0	(0.61)	16.9	(0.43)	11.9	(0.30)	5.1	(0.13)	29.1	(0.74)	27.0	(0.69)	20.7	(0.53)	34.1	(15.5)
AL2624-1213AC/HL	26.1	(0.66)	24.0	(0.61)	25.0	(0.63)	11.9	(0.30)	13.1	(0.33)	29.1	(0.74)	27.0	(0.69)	28.7	(0.73)	38.2	(17.3)
AL2624-1224AC/HL	26.1	(0.66)	24.0	(0.61)	35.9	(0.91)	11.9	(0.30)	24.0	(0.61)	29.1	(0.74)	27.0	(0.69)	39.6	(1.01)	48.2	(21.9)
AL2624-1803	26.0	(0.66)	24.1	(0.61)	21.2	(0.54)	17.8	(0.45)	3.4	(0.09)	29.0	(0.74)	27.0	(0.69)	25.1	(0.64)	35.0	(15.9)
AL2624-1805	26.1	(0.66)	24.0	(0.61)	22.9	(0.58)	17.8	(0.45)	5.1	(0.13)	29.1	(0.74)	27.0	(0.69)	26.6	(0.68)	38.5	(17.5)
AL2624-1813AC/HL	26.1	(0.66)	24.0	(0.61)	30.9	(0.79)	17.8	(0.45)	13.1	(0.33)	29.1	(0.74)	27.0	(0.69)	34.6	(0.88)	43.5	(19.7)
AL2624-1824AC	26.1	(0.66)	24.0	(0.61)	41.8	(1.06)	17.8	(0.45)	24.0	(0.61)	29.1	(0.74)	27.0	(0.69)	45.5	(1.16)	52.4	(23.8)
AL2624-2703	26.0	(0.66)	24.1	(0.61)	30.0	(0.76)	26.7	(0.68)	3.4	(0.09)	29.0	(0.74)	27.0	(0.69)	34.4	(0.87)	41.0	(18.6)
AL2624-2705	26.1	(0.66)	24.0	(0.61)	31.7	(0.81)	26.7	(0.68)	5.1	(0.13)	29.1	(0.74)	27.0	(0.69)	35.5	(0.90)	44.5	(20.2)
AL2624-2713AC	26.1	(0.66)	24.0	(0.61)	39.8	(1.01)	26.7	(0.68)	13.1	(0.33)	29.1	(0.74)	27.0	(0.69)	43.5	(1.10)	49.4	(22.4)
AL2624-2724AC	26.1	(0.66)	24.0	(0.61)	50.7	(1.29)	26.7	(0.68)	24.0	(0.61)	29.1	(0.74)	27.0	(0.69)	54.7	(1.39)	58.3	(26.4)
AL2727-0404	27.0	(0.69)	27.0	(0.69)	7.5	(0.19)	3.6	(0.09)	3.9	(0.10)	30.0	(0.76)	30.0	(0.76)	9.7	(0.25)	30.5	(13.8)
AL2727-0405	27.0	(0.69)	27.0	(0.69)	8.6	(0.22)	3.6	(0.09)	5.0	(0.13)	30.0	(0.76)	30.0	(0.76)	10.8	(0.27)	32.0	(14.5)
AL2727-0409AC/HL	27.0	(0.69)	27.0	(0.69)	12.9	(0.33)	3.6	(0.09)	9.3	(0.23)	30.0	(0.76)	30.0	(0.76)	15.1	(0.38)	34.5	(15.6)
AL2727-0414AC/HL	27.0	(0.69)	27.0	(0.69)	17.9	(0.45)	3.6	(0.09)	14.3	(0.36)	30.0	(0.76)	30.0	(0.76)	20.1	(0.51)	38.5	(17.5)
AL2727-0504	27.0	(0.69)	27.0	(0.69)	8.9	(0.23)	5.0	(0.13)	3.9	(0.10)	30.0	(0.76)	30.0	(0.76)	11.1	(0.28)	30.6	(13.9)
AL2727-0505	27.0	(0.69)	27.0	(0.69)	10.0	(0.25)	5.0	(0.13)	5.0	(0.13)	30.0	(0.76)	30.0	(0.76)	12.2	(0.31)	32.0	(14.5)
AL2727-0509AC/HL	27.0	(0.69)	27.0	(0.69)	14.3	(0.36)	5.0	(0.13)	9.3	(0.23)	30.0	(0.76)	30.0	(0.76)	16.4	(0.42)	34.6	(15.7)
AL2727-0514AC/HL	27.0	(0.69)	27.0	(0.69)	19.3	(0.49)	5.0	(0.13)	14.3	(0.36)	30.0	(0.76)	30.0	(0.76)	21.4	(0.54)	38.7	(17.6)

Case Size	Approximate Inside Dimensions								Approximate Outside Dimensions						Ship	Quick Ship				
	L		W		H		Base		Lid		L		W				H		Weight	
	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)			in	(m)	lbs	(kg)
AL2727-0904	27.0	(0.69)	27.0	(0.69)	12.7	(0.32)	8.8	(0.22)	3.9	(0.10)	30.0	(0.76)	30.0	(0.76)	14.9	(0.38)	33.0	(15.0)	UPS	
AL2727-0905	27.0	(0.69)	27.0	(0.69)	13.8	(0.35)	8.8	(0.22)	5.0	(0.13)	30.0	(0.76)	30.0	(0.76)	16.0	(0.41)	34.5	(15.6)	UPS	
AL2727-0909AC/HL	27.0	(0.69)	27.0	(0.69)	18.1	(0.46)	8.8	(0.22)	9.3	(0.23)	30.0	(0.76)	30.0	(0.76)	20.2	(0.51)	37.0	(16.8)	FRT	
AL2727-0914AC/HL	27.0	(0.69)	27.0	(0.69)	23.1	(0.59)	8.8	(0.22)	14.3	(0.36)	30.0	(0.76)	30.0	(0.76)	25.2	(0.64)	41.1	(18.6)	FRT	
AL2727-1404	27.0	(0.69)	27.0	(0.69)	18.0	(0.46)	14.1	(0.36)	3.9	(0.10)	30.0	(0.76)	30.0	(0.76)	20.2	(0.51)	37.1	(16.8)	FRT	
AL2727-1405	27.0	(0.69)	27.0	(0.69)	19.1	(0.49)	14.1	(0.36)	5.0	(0.13)	30.0	(0.76)	30.0	(0.76)	21.3	(0.54)	38.6	(17.5)	FRT	Y
AL2727-1409AC	27.0	(0.69)	27.0	(0.69)	23.4	(0.59)	14.1	(0.36)	9.3	(0.23)	30.0	(0.76)	30.0	(0.76)	25.6	(0.65)	41.1	(18.6)	FRT	
AL2727-1414AC/HL	27.0	(0.69)	27.0	(0.69)	28.4	(0.72)	14.1	(0.36)	14.3	(0.36)	30.0	(0.76)	30.0	(0.76)	30.6	(0.78)	45.2	(20.5)	FRT	
AL2727-2304	27.0	(0.69)	27.0	(0.69)	26.6	(0.68)	22.8	(0.58)	3.9	(0.10)	30.0	(0.76)	30.0	(0.76)	28.8	(0.73)	43.2	(19.6)	FRT	
AL2727-2305	27.0	(0.69)	27.0	(0.69)	27.8	(0.70)	22.8	(0.58)	5.0	(0.13)	30.0	(0.76)	30.0	(0.76)	29.9	(0.76)	43.3	(19.6)	FRT	
AL2727-2309AC	27.0	(0.69)	27.0	(0.69)	32.0	(0.81)	22.8	(0.58)	9.3	(0.23)	30.0	(0.76)	30.0	(0.76)	34.2	(0.87)	49.0	(22.2)	FRT	
AL2727-2314AC	27.0	(0.69)	27.0	(0.69)	37.0	(0.94)	22.8	(0.58)	14.3	(0.36)	30.0	(0.76)	30.0	(0.76)	39.2	(1.00)	53.0	(24.0)	FRT	
AL2727-2704	27.0	(0.69)	27.0	(0.69)	30.8	(0.78)	27.0	(0.69)	3.9	(0.10)	30.0	(0.76)	30.0	(0.76)	33.0	(0.84)	47.6	(21.6)	FRT	
AL2727-2705	27.0	(0.69)	27.0	(0.69)	32.0	(0.81)	27.0	(0.69)	5.0	(0.13)	30.0	(0.76)	30.0	(0.76)	34.2	(0.87)	49.0	(22.2)	FRT	
AL2727-2709AC	27.0	(0.69)	27.0	(0.69)	36.2	(0.92)	27.0	(0.69)	9.3	(0.23)	30.0	(0.76)	30.0	(0.76)	38.4	(0.98)	51.6	(23.4)	FRT	
AL2727-2714AC	27.0	(0.69)	27.0	(0.69)	41.2	(1.05)	27.0	(0.69)	14.3	(0.36)	30.0	(0.76)	30.0	(0.76)	43.4	(1.10)	55.5	(25.2)	FRT	
AL2818-0805	28.1	(0.71)	18.1	(0.46)	13.2	(0.34)	8.1	(0.21)	5.1	(0.13)	31.1	(0.79)	21.1	(0.54)	15.4	(0.39)	26.5	(12.0)	UPS	
AL2825-1205	28.5	(0.72)	25.0	(0.64)	17.7	(0.45)	12.6	(0.32)	5.1	(0.13)	31.5	(0.80)	28.0	(0.71)	19.4	(0.49)	37.4	(17.0)	UPS	
AL2825-1212AC/HL	28.5	(0.72)	25.0	(0.64)	24.9	(0.63)	12.6	(0.32)	12.3	(0.31)	31.5	(0.80)	28.0	(0.71)	26.4	(0.67)	44.0	(20.0)	FRT	
AL2825-1605	28.5	(0.72)	25.0	(0.64)	21.6	(0.55)	16.5	(0.42)	5.1	(0.13)	31.5	(0.80)	28.0	(0.71)	23.9	(0.61)	39.0	(17.7)	FRT	
AL2825-1612AC/HL	28.5	(0.72)	25.0	(0.64)	28.8	(0.73)	16.5	(0.42)	12.3	(0.31)	31.5	(0.80)	28.0	(0.71)	31.0	(0.79)	45.6	(20.7)	FRT	
AL2909-0605	28.5	(0.72)	8.5	(0.22)	11.3	(0.29)	6.0	(0.15)	5.3	(0.13)	31.5	(0.80)	11.5	(0.29)	12.9	(0.33)	15.9	(7.2)	UPS	
AL2914-0905	28.9	(0.73)	14.5	(0.37)	14.1	(0.36)	8.9	(0.23)	5.2	(0.13)	31.9	(0.81)	17.5	(0.44)	16.0	(0.41)	23.1	(10.5)	UPS	Y
AL2914-0906	28.9	(0.73)	14.5	(0.37)	15.1	(0.38)	8.9	(0.23)	6.2	(0.16)	31.9	(0.81)	17.5	(0.44)	17.0	(0.43)	24.5	(11.1)	UPS	
AL2924-0904	29.2	(0.74)	23.9	(0.61)	13.3	(0.34)	9.3	(0.24)	4.0	(0.10)	32.2	(0.82)	26.9	(0.68)	15.5	(0.39)	30.3	(13.7)	UPS	
AL3018-0402	29.8	(0.76)	17.9	(0.45)	7.1	(0.18)	4.5	(0.11)	2.6	(0.07)	32.8	(0.83)	20.9	(0.53)	8.9	(0.23)	20.4	(9.3)	UPS	
AL3018-0403	29.8	(0.76)	17.9	(0.45)	8.1	(0.21)	4.5	(0.11)	3.6	(0.09)	32.8	(0.83)	20.9	(0.53)	9.9	(0.25)	21.2	(9.6)	UPS	
AL3018-0405	29.8	(0.76)	17.9	(0.45)	9.8	(0.25)	4.5	(0.11)	5.3	(0.13)	32.8	(0.83)	20.9	(0.53)	11.6	(0.29)	21.5	(9.8)	UPS	
AL3018-0409AC/HL	29.8	(0.76)	17.9	(0.45)	13.8	(0.35)	4.5	(0.11)	9.3	(0.23)	32.8	(0.83)	20.9	(0.53)	15.6	(0.40)	27.7	(12.6)	UPS	
AL3018-0802	29.8	(0.76)	17.9	(0.45)	10.8	(0.27)	8.2	(0.21)	2.6	(0.07)	32.8	(0.83)	20.9	(0.53)	12.6	(0.32)	24.9	(11.3)	UPS	
AL3018-0803	29.8	(0.76)	17.9	(0.45)	11.8	(0.30)	8.2	(0.21)	3.6	(0.09)	32.8	(0.83)	20.9	(0.53)	13.6	(0.35)	25.7	(11.7)	UPS	
AL3018-0805	29.8	(0.76)	17.9	(0.45)	13.4	(0.34)	8.2	(0.21)	5.3	(0.13)	32.8	(0.83)	20.9	(0.53)	15.2	(0.39)	26.0	(11.8)	UPS	
AL3018-0809AC/HL	29.8	(0.76)	17.9	(0.45)	17.4	(0.44)	8.2	(0.21)	9.3	(0.23)	32.8	(0.83)	20.9	(0.53)	19.2	(0.49)	32.2	(14.6)	UPS	
AL3018-0902	29.8	(0.76)	17.9	(0.45)	12.0	(0.30)	9.4	(0.24)	2.6	(0.07)	32.8	(0.83)	20.9	(0.53)	13.8	(0.35)	26.8	(12.2)	UPS	