

	Approximate Inside Dimensions										Approximate Outside Dimensions						SHIP	QUICK SHIP		
	L		W		H		BASE		LID		L		W		H				WEIGHT	
CASE SIZE	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	lbs	(kg)		
AL3018-0903	29.8	(0.76)	17.9	(0.45)	13.0	(0.33)	9.4	(0.24)	3.6	(0.09)	32.8	(0.83)	20.9	(0.53)	14.8	(0.38)	27.6	(12.5)	UPS	
AL3018-0905	29.8	(0.76)	17.9	(0.45)	14.6	(0.37)	9.4	(0.24)	5.3	(0.13)	32.8	(0.83)	20.9	(0.53)	16.4	(0.42)	27.8	(12.6)	UPS	Y
AL3018-0909AC/HL	29.8	(0.76)	17.9	(0.45)	18.6	(0.47)	9.4	(0.24)	9.3	(0.23)	32.8	(0.83)	20.9	(0.53)	20.4	(0.52)	33.9	(15.4)	UPS	
AL3018-1502	29.8	(0.76)	17.9	(0.45)	17.5	(0.44)	14.9	(0.38)	2.6	(0.07)	32.8	(0.83)	20.9	(0.53)	19.3	(0.49)	29.7	(13.5)	UPS	
AL3018-1503	29.8	(0.76)	17.9	(0.45)	18.5	(0.47)	14.9	(0.38)	3.6	(0.09)	32.8	(0.83)	20.9	(0.53)	20.3	(0.52)	30.5	(13.8)	UPS	
AL3018-1505	29.8	(0.76)	17.9	(0.45)	20.1	(0.51)	14.9	(0.38)	5.3	(0.13)	32.8	(0.83)	20.9	(0.53)	21.9	(0.56)	31.8	(14.4)	FRT	Y
AL3018-1509AC	29.8	(0.76)	17.9	(0.45)	24.1	(0.61)	14.9	(0.38)	9.3	(0.23)	32.8	(0.83)	20.9	(0.53)	25.9	(0.66)	37.0	(16.8)	FRT	
AL3018-2302	29.8	(0.76)	17.9	(0.45)	26.4	(0.67)	23.8	(0.60)	2.6	(0.07)	32.8	(0.83)	20.9	(0.53)	28.2	(0.72)	38.0	(17.2)	FRT	
AL3018-2303	29.8	(0.76)	17.9	(0.45)	27.4	(0.70)	23.8	(0.60)	3.6	(0.09)	32.8	(0.83)	20.9	(0.53)	29.2	(0.74)	39.0	(17.7)	FRT	
AL3018-2305	29.8	(0.76)	17.9	(0.45)	29.0	(0.74)	23.8	(0.60)	5.3	(0.13)	32.8	(0.83)	20.9	(0.53)	30.8	(0.78)	40.5	(18.4)	FRT	
AL3018-2309	29.8	(0.76)	17.9	(0.45)	33.0	(0.84)	23.8	(0.60)	9.3	(0.23)	32.8	(0.83)	20.9	(0.53)	34.8	(0.88)	45.7	(20.7)	FRT	
AL3018-3602	29.8	(0.76)	17.9	(0.45)	38.9	(0.99)	36.3	(0.92)	2.6	(0.07)	32.8	(0.83)	20.9	(0.53)	40.7	(1.03)	43.0	(19.5)	FRT	
AL3018-3603	29.8	(0.76)	17.9	(0.45)	39.9	(1.01)	36.3	(0.92)	3.6	(0.09)	32.8	(0.83)	20.9	(0.53)	41.7	(1.06)	43.8	(19.9)	FRT	
AL3018-3605	29.8	(0.76)	17.9	(0.45)	41.5	(1.05)	36.3	(0.92)	5.3	(0.13)	32.8	(0.83)	20.9	(0.53)	43.3	(1.10)	44.3	(20.1)	FRT	
AL3018-3609AC	29.8	(0.76)	17.9	(0.45)	45.5	(1.16)	36.3	(0.92)	9.3	(0.23)	32.8	(0.83)	20.9	(0.53)	47.3	(1.20)	50.3	(22.8)	FRT	
AL3019-0709AC/HL	30.8	(0.78)	19.6	(0.50)	17.0	(0.43)	7.6	(0.19)	9.3	(0.24)	33.8	(0.86)	22.6	(0.57)	19.7	(0.50)	40.6	(18.4)	UPS	
AL3022-0705	30.0	(0.76)	22.2	(0.56)	12.2	(0.31)	7.0	(0.18)	5.2	(0.13)	33.0	(0.84)	25.2	(0.64)	14.0	(0.35)	36.8	(16.7)	UPS	Y
AL3124-1204	31.4	(0.80)	24.4	(0.62)	15.7	(0.40)	11.9	(0.30)	3.8	(0.10)	34.4	(0.87)	27.4	(0.70)	19.4	(0.49)	30.0	(13.6)	FRT	
AL3124-1604	31.4	(0.80)	24.4	(0.62)	19.7	(0.50)	15.9	(0.40)	3.8	(0.10)	34.4	(0.87)	27.4	(0.70)	23.4	(0.59)	39.6	(18.0)	FRT	
AL3226-1404FT	32.5	(0.83)	26.6	(0.68)	18.4	(0.47)	14.2	(0.36)	4.2	(0.11)	35.5	(0.90)	29.6	(0.75)	24.3	(0.62)	52.4	(23.8)	FRT	
AL3226-1413FT/AC/HL	32.5	(0.83)	26.6	(0.68)	27.1	(0.69)	14.2	(0.36)	12.9	(0.33)	35.5	(0.90)	29.6	(0.75)	32.9	(0.84)	60.9	(27.6)	FRT	
AL3226-1604	32.5	(0.83)	26.6	(0.68)	20.3	(0.52)	16.1	(0.41)	4.2	(0.11)	35.5	(0.90)	29.6	(0.75)	24.5	(0.62)	52.6	(23.9)	FRT	
AL3226-1613AC/HL	32.5	(0.83)	26.6	(0.68)	29.0	(0.74)	16.1	(0.41)	12.9	(0.33)	35.5	(0.90)	29.6	(0.75)	33.2	(0.84)	62.5	(28.3)	FRT	
AL3232-1412AC	32.4	(0.82)	32.4	(0.82)	26.8	(0.68)	14.5	(0.37)	12.3	(0.31)	35.4	(0.90)	35.4	(0.90)	30.4	(0.77)	68.4	(31.0)	FRT	
AL3418-0505	34.2	(0.87)	18.0	(0.46)	10.5	(0.27)	5.3	(0.13)	5.3	(0.13)	37.2	(0.94)	21.0	(0.53)	12.4	(0.32)	27.0	(12.2)	UPS	
AL3418-1005	34.2	(0.87)	18.0	(0.46)	15.4	(0.39)	10.1	(0.26)	5.3	(0.13)	37.2	(0.94)	21.0	(0.53)	17.3	(0.44)	30.6	(13.9)	UPS	Y
AL3424-0804	34.3	(0.87)	24.2	(0.61)	12.3	(0.31)	8.0	(0.20)	4.3	(0.11)	37.3	(0.95)	27.2	(0.69)	14.5	(0.37)	34.3	(15.6)	UPS	
AL3424-0805	34.3	(0.87)	24.2	(0.61)	13.3	(0.34)	8.0	(0.20)	5.3	(0.13)	37.3	(0.95)	27.2	(0.69)	15.4	(0.39)	36.8	(16.7)	UPS	Y
AL3424-1204	34.3	(0.87)	24.2	(0.61)	16.3	(0.41)	12.0	(0.30)	4.3	(0.11)	37.3	(0.95)	27.2	(0.69)	18.5	(0.47)	40.0	(18.1)	UPS	
AL3424-1205	34.3	(0.87)	24.2	(0.61)	17.3	(0.44)	12.0	(0.30)	5.3	(0.13)	37.3	(0.95)	27.2	(0.69)	19.4	(0.49)	42.5	(19.3)	FRT	Y
AL3428-0604	34.0	(0.86)	27.5	(0.70)	9.9	(0.25)	6.1	(0.16)	3.8	(0.10)	37.0	(0.94)	30.5	(0.77)	12.2	(0.31)	38.9	(17.6)	FRT	
AL3428-0608AC/HL	34.0	(0.86)	27.5	(0.70)	14.3	(0.36)	6.1	(0.16)	8.2	(0.21)	37.0	(0.94)	30.5	(0.77)	16.6	(0.42)	42.5	(19.3)	FRT	
AL3428-0614AC/HL	34.0	(0.86)	27.5	(0.70)	20.5	(0.52)	6.1	(0.16)	14.4	(0.36)	37.0	(0.94)	30.5	(0.77)	22.7	(0.58)	47.5	(21.5)	FRT	
AL3428-0625AC/HL	34.0	(0.86)	27.5	(0.70)	30.9	(0.79)	6.1	(0.16)	24.8	(0.63)	37.0	(0.94)	30.5	(0.77)	33.2	(0.84)	57.0	(25.9)	FRT	

	Approximate Inside Dimensions										Approximate Outside Dimensions						SHIP	QUICK SHIP
	L		W		H		BASE		LID		L		W		H			
CASE SIZE	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	lbs	(kg)
AL3428-1004	34.0	(0.86)	27.5	(0.70)	13.6	(0.34)	9.8	(0.25)	3.8	(0.10)	37.0	(0.94)	30.5	(0.77)	15.8	(0.40)	48.6	(22.0)
AL3428-1008AC	34.0	(0.86)	27.5	(0.70)	18.0	(0.46)	9.8	(0.25)	8.2	(0.21)	37.0	(0.94)	30.5	(0.77)	20.2	(0.51)	50.6	(23.0)
AL3428-1014AC/HL	34.0	(0.86)	27.5	(0.70)	24.2	(0.61)	9.8	(0.25)	14.4	(0.36)	37.0	(0.94)	30.5	(0.77)	26.4	(0.67)	61.5	(27.9)
AL3428-1025AC/HL	34.0	(0.86)	27.5	(0.70)	34.6	(0.88)	9.8	(0.25)	24.8	(0.63)	37.0	(0.94)	30.5	(0.77)	36.7	(0.93)	64.1	(29.1)
AL3434-1207	34.8	(0.88)	34.8	(0.88)	19.8	(0.50)	12.5	(0.32)	7.3	(0.18)	37.8	(0.96)	37.8	(0.96)	22.4	(0.57)	55.2	(25.0)
AL3434-1228AC	34.8	(0.88)	34.8	(0.88)	41.0	(1.04)	12.5	(0.32)	28.5	(0.72)	37.8	(0.96)	37.8	(0.96)	44.5	(1.13)	60.0	(27.2)
AL3434-2807	34.8	(0.88)	34.8	(0.88)	34.9	(0.89)	27.7	(0.70)	7.3	(0.18)	37.8	(0.96)	37.8	(0.96)	38.4	(0.98)	66.8	(30.3)
AL3434-2828AC	34.8	(0.88)	34.8	(0.88)	56.2	(1.43)	27.7	(0.70)	28.5	(0.72)	37.8	(0.96)	37.8	(0.96)	59.4	(1.51)	72.1	(32.7)
AL3535-1605	35.5	(0.90)	35.5	(0.90)	20.9	(0.53)	15.8	(0.40)	5.1	(0.13)	38.5	(0.98)	38.5	(0.98)	24.2	(0.61)	68.0	(30.8)
AL3620-0504	35.9	(0.91)	19.9	(0.50)	9.0	(0.23)	5.0	(0.13)	4.0	(0.10)	38.9	(0.99)	22.9	(0.58)	10.8	(0.27)	23.4	(10.6)
AL3620-0505	35.9	(0.91)	19.9	(0.50)	10.1	(0.26)	5.0	(0.13)	5.1	(0.13)	38.9	(0.99)	22.9	(0.58)	12.3	(0.31)	25.6	(11.6)
AL3620-0509AC	35.9	(0.91)	19.9	(0.50)	14.9	(0.38)	5.0	(0.13)	9.9	(0.25)	38.9	(0.99)	22.9	(0.58)	16.7	(0.42)	32.0	(14.5)
AL3620-0510AC/HL	35.9	(0.91)	19.9	(0.50)	15.2	(0.38)	5.0	(0.13)	10.2	(0.26)	38.9	(0.99)	22.9	(0.58)	17.0	(0.43)	32.4	(14.7)
AL3620-1704	35.9	(0.91)	19.9	(0.50)	21.1	(0.54)	17.1	(0.43)	4.0	(0.10)	38.9	(0.99)	22.9	(0.58)	23.3	(0.59)	41.6	(18.9)
AL3620-1705	35.9	(0.91)	19.9	(0.50)	22.2	(0.56)	17.1	(0.43)	5.1	(0.13)	38.9	(0.99)	22.9	(0.58)	24.4	(0.62)	43.3	(19.6)
AL3620-1709	35.9	(0.91)	19.9	(0.50)	27.1	(0.69)	17.1	(0.43)	9.9	(0.25)	38.9	(0.99)	22.9	(0.58)	29.3	(0.74)	50.0	(22.7)
AL3620-1710AC	35.9	(0.91)	19.9	(0.50)	27.3	(0.69)	17.1	(0.43)	10.2	(0.26)	38.9	(0.99)	22.9	(0.58)	29.5	(0.75)	50.4	(22.9)
AL3627-0805	35.9	(0.91)	27.0	(0.69)	13.0	(0.33)	7.8	(0.20)	5.1	(0.13)	38.9	(0.99)	30.0	(0.76)	16.6	(0.42)	43.6	(19.8)
AL3627-1505	35.9	(0.91)	27.0	(0.69)	20.0	(0.51)	14.9	(0.38)	5.1	(0.13)	38.9	(0.99)	30.0	(0.76)	23.7	(0.60)	50.3	(22.8)
AL3633-0405AC/HL	36.3	(0.92)	33.3	(0.85)	10.2	(0.26)	4.5	(0.11)	5.7	(0.14)	39.3	(1.00)	36.3	(0.92)	11.8	(0.30)	43.0	(19.5)
AL3834-1605FT	38.1	(0.97)	34.1	(0.87)	21.2	(0.54)	15.8	(0.40)	5.4	(0.14)	41.1	(1.04)	37.1	(0.94)	27.0	(0.69)	71.0	(32.2)
AL3834-1617FT/AC/HL	38.1	(0.97)	34.1	(0.87)	33.0	(0.84)	15.8	(0.40)	17.3	(0.44)	41.1	(1.04)	37.1	(0.94)	38.8	(0.99)	86.4	(39.2)
AL3834-1628FT/AC	38.1	(0.97)	34.1	(0.87)	44.1	(1.12)	15.8	(0.40)	28.3	(0.72)	41.1	(1.04)	37.1	(0.94)	49.9	(1.27)	118.0	(53.5)
AL4018-1003	40.0	(1.02)	18.0	(0.46)	13.2	(0.34)	10.2	(0.26)	3.0	(0.08)	43.0	(1.09)	21.0	(0.53)	14.8	(0.37)	36.0	(16.3)
AL4021-0804	41.0	(1.04)	20.9	(0.53)	11.0	(0.28)	7.2	(0.18)	3.8	(0.10)	44.0	(1.12)	23.9	(0.61)	13.7	(0.35)	37.0	(16.8)
AL4021-0808AC/HL	41.0	(1.04)	20.9	(0.53)	14.9	(0.38)	7.2	(0.18)	7.7	(0.20)	44.0	(1.12)	23.9	(0.61)	17.6	(0.45)	41.0	(18.6)
AL4024-1305	39.9	(1.01)	24.3	(0.62)	18.0	(0.46)	12.8	(0.32)	5.3	(0.13)	42.9	(1.09)	27.3	(0.69)	20.2	(0.51)	50.2	(22.8)
AL4024-1310AC/HL	39.9	(1.01)	24.3	(0.62)	23.0	(0.58)	12.8	(0.32)	10.2	(0.26)	42.9	(1.09)	27.3	(0.69)	25.2	(0.64)	56.0	(25.4)
AL4028-1608	39.8	(1.01)	27.8	(0.70)	23.7	(0.60)	15.5	(0.39)	8.2	(0.21)	42.8	(1.09)	30.8	(0.78)	27.3	(0.69)	70.0	(31.8)
AL4028-2105	39.8	(1.01)	27.8	(0.70)	25.6	(0.65)	20.4	(0.52)	5.2	(0.13)	42.8	(1.09)	30.8	(0.78)	29.2	(0.74)	80.0	(36.3)
AL4119-0704	40.8	(1.04)	19.1	(0.49)	13.6	(0.35)	8.1	(0.20)	5.6	(0.14)	43.7	(1.11)	22.1	(0.56)	15.6	(0.40)	32.0	(14.5)
AL4141-0808AC	41.0	(1.04)	41.0	(1.04)	16.4	(0.42)	8.3	(0.21)	8.1	(0.21)	44.0	(1.12)	44.0	(1.12)	18.0	(0.46)	84.1	(38.1)
AL4141-0826AC	41.0	(1.04)	41.0	(1.04)	34.0	(0.86)	8.3	(0.21)	25.8	(0.65)	44.0	(1.12)	44.0	(1.12)	35.7	(0.91)	114.0	(51.7)
AL4141-0836AC	41.0	(1.04)	41.0	(1.04)	43.8	(1.11)	8.3	(0.21)	35.5	(0.90)	44.0	(1.12)	44.0	(1.12)	45.5	(1.16)	123.0	(55.8)

Case Size	Approximate Inside Dimensions										Approximate Outside Dimensions					Ship	Quick Ship			
	L		W		H		Base		LID		L		W		H			Weight		
	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in			(m)	lbs	(kg)
AL4141-0846AC	41.0	(1.04)	41.0	(1.04)	53.8	(1.37)	8.3	(0.21)	45.5	(1.16)	44.0	(1.12)	44.0	(1.12)	55.5	(1.41)	132.0	(59.9)	FRT	
AL4532-0515FT/AC/HL	45.0	(1.14)	32.0	(0.81)	20.1	(0.51)	5.3	(0.13)	14.9	(0.38)	48.0	(1.22)	35.0	(0.89)	25.0	(0.64)	81.2	(36.8)	FRT	
AL4532-1606	45.0	(1.14)	32.0	(0.81)	21.5	(0.55)	15.5	(0.39)	6.0	(0.15)	48.0	(1.22)	35.0	(0.89)	26.0	(0.66)	82.0	(37.2)	FRT	
AL4532-1615AC/HL	45.0	(1.14)	32.0	(0.81)	30.4	(0.77)	15.5	(0.39)	14.9	(0.38)	48.0	(1.22)	35.0	(0.89)	35.1	(0.89)	97.2	(44.1)	FRT	
AL4714-0403	46.9	(1.19)	14.1	(0.36)	7.0	(0.18)	4.0	(0.10)	3.0	(0.08)	49.9	(1.27)	17.1	(0.43)	8.7	(0.22)	26.4	(12.0)	UPS	
AL4714-0405	46.9	(1.19)	14.1	(0.36)	9.3	(0.23)	4.0	(0.10)	5.3	(0.13)	49.9	(1.27)	17.1	(0.43)	10.9	(0.28)	27.1	(12.3)	UPS	
AL4714-0503	46.9	(1.19)	14.1	(0.36)	8.3	(0.21)	5.3	(0.13)	3.0	(0.08)	49.9	(1.27)	17.1	(0.43)	9.9	(0.25)	27.5	(12.5)	UPS	
AL4714-0505	46.9	(1.19)	14.1	(0.36)	10.5	(0.27)	5.3	(0.13)	5.3	(0.13)	49.9	(1.27)	17.1	(0.43)	12.2	(0.31)	29.5	(13.4)	UPS	
AL4824-1404	48.6	(1.23)	24.6	(0.63)	17.7	(0.45)	13.8	(0.35)	3.9	(0.10)	51.6	(1.31)	27.6	(0.70)	21.4	(0.54)	57.9	(26.3)	FRT	
DL4824-1404AC	48.0	(1.22)	24.0	(0.61)	17.7	(0.45)	13.9	(0.35)	3.9	(0.10)	51.5	(1.31)	27.5	(0.70)	21.4	(0.54)	60.0	(27.2)	FRT	
AL4824-1408	48.6	(1.23)	24.6	(0.63)	21.9	(0.56)	13.8	(0.35)	8.1	(0.21)	51.6	(1.31)	27.6	(0.70)	25.6	(0.65)	64.5	(29.3)	FRT	
DL4824-1408AC	48.0	(1.22)	24.0	(0.61)	22.0	(0.56)	13.9	(0.35)	8.1	(0.21)	51.5	(1.31)	27.5	(0.70)	25.7	(0.65)	64.5	(29.3)	FRT	
AL4824-1604	48.6	(1.23)	24.6	(0.63)	19.7	(0.50)	15.8	(0.40)	3.9	(0.10)	51.6	(1.31)	27.6	(0.70)	23.4	(0.59)	57.3	(26.0)	FRT	
AL4824-1608	48.6	(1.23)	24.6	(0.63)	23.9	(0.61)	15.8	(0.40)	8.1	(0.21)	51.6	(1.31)	27.6	(0.70)	27.6	(0.70)	63.8	(28.9)	FRT	
AL4915-1105	49.0	(1.24)	14.8	(0.38)	16.3	(0.41)	11.0	(0.28)	5.3	(0.13)	52.0	(1.32)	17.8	(0.45)	18.4	(0.47)	40.0	(18.1)	UPS	
AL5023-0911	50.5	(1.28)	23.3	(0.59)	20.1	(0.51)	9.1	(0.23)	11.0	(0.28)	53.5	(1.36)	26.3	(0.67)	23.5	(0.60)	50.9	(23.1)	FRT	
AL5040-1204	50.1	(1.27)	40.0	(1.02)	15.9	(0.40)	12.1	(0.31)	3.8	(0.10)	53.1	(1.35)	43.0	(1.09)	19.1	(0.48)	90.0	(40.8)	FRT	
AL5040-1212AC	50.1	(1.27)	40.0	(1.02)	24.0	(0.61)	12.1	(0.31)	11.9	(0.30)	53.1	(1.35)	43.0	(1.09)	27.2	(0.69)	103.0	(46.7)	FRT	
AL5135-0718FT	51.0	(1.30)	35.0	(0.89)	25.2	(0.64)	6.8	(0.17)	18.4	(0.47)	54.0	(1.37)	38.0	(0.97)	32.0	(0.81)	103.5	(46.9)	FRT	
AL5240-1138AC/HL	52.0	(1.32)	40.0	(1.02)	49.0	(1.24)	11.0	(0.28)	38.0	(0.97)	55.0	(1.40)	43.0	(1.09)	52.7	(1.34)	143.1	(64.9)	FRT	
AL5415-1026AC	54.0	(1.37)	15.9	(0.40)	35.4	(0.90)	10.0	(0.25)	25.4	(0.64)	57.0	(1.45)	18.9	(0.48)	37.5	(0.95)	89.5	(40.6)	FRT	
AL5424-2306FT/AC	53.9	(1.37)	23.9	(0.61)	28.9	(0.73)	22.8	(0.58)	6.1	(0.16)	56.9	(1.44)	26.9	(0.68)	33.8	(0.86)	104.3	(47.3)	FRT	
AL5430-3006AC	53.9	(1.37)	29.8	(0.76)	35.9	(0.91)	29.9	(0.76)	6.1	(0.15)	56.9	(1.44)	32.8	(0.83)	39.6	(1.01)	114.0	(51.7)	FRT	
AL5545-2305AC	55.5	(1.41)	45.5	(1.16)	27.9	(0.71)	22.8	(0.58)	5.1	(0.13)	58.5	(1.49)	48.5	(1.23)	31.6	(0.80)	145.3	(65.9)	FRT	
AL5545-2323AC	55.5	(1.41)	45.5	(1.16)	45.4	(1.15)	22.8	(0.58)	22.6	(0.57)	58.5	(1.49)	48.5	(1.23)	49.1	(1.25)	179.0	(81.2)	FRT	
AL5616-0604	56.4	(1.43)	16.3	(0.41)	10.1	(0.26)	5.9	(0.15)	4.2	(0.11)	59.4	(1.51)	19.3	(0.49)	12.8	(0.32)	42.4	(19.2)	FRT	
AL5733-0916FT/AC	56.9	(1.44)	32.8	(0.83)	25.1	(0.64)	9.1	(0.23)	16.0	(0.41)	59.9	(1.52)	35.8	(0.91)	35.6	(0.91)	123.4	(56.0)	FRT	
AL5824-1119AC	58.6	(1.49)	24.1	(0.61)	30.2	(0.77)	11.0	(0.28)	19.2	(0.49)	61.6	(1.57)	27.1	(0.69)	33.9	(0.86)	76.5	(34.7)	FRT	
AL5834-0128FT/AC/HL	58.3	(1.48)	34.3	(0.87)	29.6	(0.75)	1.6	(0.04)	27.9	(0.71)	61.3	(1.56)	37.3	(0.95)	32.9	(0.83)	126.0	(57.2)	FRT	
AL5834-0728FT/AC/HL	58.3	(1.48)	34.3	(0.87)	35.6	(0.90)	7.6	(0.19)	27.9	(0.71)	61.3	(1.56)	37.3	(0.95)	38.9	(0.99)	138.9	(63.0)	FRT	
AL5910-0604	59.1	(1.50)	9.9	(0.25)	10.3	(0.26)	6.2	(0.16)	4.1	(0.10)	62.1	(1.58)	12.9	(0.33)	12.3	(0.31)	31.6	(14.3)	UPS	
AL5924-1018AC	59.3	(1.50)	24.3	(0.62)	28.3	(0.72)	18.2	(0.46)	10.1	(0.26)	62.3	(1.58)	27.3	(0.69)	30.3	(0.77)	74.0	(33.6)	FRT	
BL6752-0805AC/HL	67.4	(1.71)	51.9	(1.32)	13.2	(0.33)	8.0	(0.20)	5.1	(0.13)	70.4	(1.79)	54.9	(1.39)	18.7	(0.47)	145.0	(65.8)	FRT	
AL6815-1005	68.0	(1.73)	15.3	(0.39)	15.3	(0.39)	10.1	(0.26)	5.2	(0.13)	71.0	(1.80)	18.3	(0.46)	17.1	(0.44)	58.5	(26.5)	FRT	

	Approximate Inside Dimensions										Approximate Outside Dimensions						SHIP	QUICK SHIP
	L		W		H		BASE		LID		L		W		H			
CASE SIZE	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	in	(m)	lbs	(kg)
AL6912-1003	69.4	(1.76)	12.0	(0.30)	14.1	(0.36)	10.5	(0.27)	3.6	(0.09)	72.4	(1.84)	15.0	(0.38)	16.3	(0.41)	42.0	(19.1)
AL7007-0403AC	70.3	(1.78)	7.0	(0.18)	7.0	(0.18)	4.0	(0.10)	3.0	(0.08)	73.3	(1.86)	10.0	(0.25)	9.8	(0.25)	30.0	(13.6)
AL7819-0805	78.9	(2.00)	19.4	(0.49)	13.3	(0.34)	8.3	(0.21)	5.0	(0.13)	80.8	(2.05)	22.4	(0.57)	15.0	(0.38)	60.8	(27.6)
AL7819-0808	78.9	(2.00)	19.4	(0.49)	16.3	(0.41)	8.3	(0.21)	8.0	(0.20)	80.8	(2.05)	22.4	(0.57)	18.0	(0.46)	61.8	(28.0)
BL8024-3009AC	80.4	(2.04)	24.4	(0.62)	39.2	(1.00)	30.1	(0.77)	9.1	(0.23)	84.4	(2.14)	28.4	(0.72)	43.8	(1.11)	159.5	(72.3)
BL8232-0705AC	81.9	(2.08)	31.9	(0.81)	12.4	(0.31)	7.3	(0.18)	5.1	(0.13)	85.9	(2.18)	35.9	(0.91)	16.8	(0.43)	122.3	(55.5)
BL8232-0905AC	81.9	(2.08)	31.9	(0.81)	14.1	(0.36)	9.0	(0.23)	5.1	(0.13)	85.9	(2.18)	35.9	(0.91)	18.6	(0.47)	128.0	(58.1)
BL8240-1623FT/AC	81.8	(2.08)	40.0	(1.02)	38.9	(0.99)	16.1	(0.41)	22.8	(0.58)	85.8	(2.18)	44.0	(1.12)	48.1	(1.22)	229.2	(104.0)
BL8537-2906	85.2	(2.16)	37.7	(0.96)	35.2	(0.89)	29.2	(0.74)	6.0	(0.15)	89.2	(2.27)	41.7	(1.06)	39.6	(1.01)	190.0	(86.2)
BL9024-1113FT/AC	91.0	(2.31)	24.2	(0.61)	24.9	(0.63)	11.6	(0.29)	13.3	(0.34)	95.0	(2.41)	28.2	(0.72)	33.3	(0.84)	147.2	(66.8)
BL9053-1035AC	90.0	(2.29)	53.0	(1.35)	45.5	(1.16)	10.3	(0.26)	35.3	(0.90)	94.0	(2.39)	57.0	(1.45)	50.0	(1.27)	278.0	(126.1)
BL9836-1105AC	97.8	(2.48)	35.9	(0.91)	16.1	(0.41)	11.0	(0.28)	5.1	(0.13)	101.8	(2.59)	39.9	(1.01)	20.8	(0.53)	190.0	(86.2)
BL9836-3705AC	97.8	(2.48)	35.9	(0.91)	42.1	(1.07)	37.0	(0.94)	5.1	(0.13)	101.8	(2.59)	39.9	(1.01)	46.8	(1.19)	242.0	(109.8)
BL11433-0527AC	114.0	(2.90)	33.0	(0.84)	32.6	(0.83)	5.4	(0.14)	27.3	(0.69)	118.0	(3.00)	37.0	(0.94)	34.3	(0.87)	210.0	(95.3)
AL13115-0805FT	131.0	(3.33)	15.0	(0.38)	13.3	(0.34)	8.3	(0.21)	5.0	(0.13)	134.0	(3.40)	18.0	(0.46)	18.0	(0.46)	97.0	(44.0)